

**General Physics 1–Honors (PHYS 101H):
Practice Exam 2
November 2022**

Chris Monahan
Department of Physics, William & Mary

Overview and instructions

In this midterm you will apply your understanding of conservation of energy, elastic and inelastic collisions, and rotational motion.

Read the following instructions carefully.

There are **five questions**, for a total of **100 points**. **Attempt all questions**. The exam will finish at 11:45 am. Please write your name **on every sheet of paper you submit**. It is helpful if you include page numbers at the bottom of each page, too.

You may use:

- an electronic calculator;
- your own formula sheet, written or printed on two sides of letter paper.

You may **not** use:

- electronic devices (except a calculator), including phones, tablets and laptops (unless previously arranged);
- textbooks or other reference resources;
- course notes or slides.

The first three questions are multiple choice. Your answer to these multiple choice questions should be written out and submitted as part of the rest of your solutions. For example, you could write, “Problem 1: my answer is (a).” Do **not** circle the options on the exam itself; I will not collect the exams and you will not receive credit for your answer.

The remaining questions require written solutions. You should show all your working and include important intermediate steps, equations, and results. You can receive partial credit for these problems, even if you don’t complete the problem or provide a correct final answer. Please ensure that you highlight or emphasise your final answer (for example, by circling or underlining the final answer).

You are responsible for ensuring your solutions are legible. Present your solutions legibly and as logically as you can. What this means in practice is the following:

1. Write down what quantities you know.
2. Write down the relevant equations.
3. When carrying out manipulations or substituting values into equations, try to write each equality on separate lines or otherwise distinguish them clearly.
4. Circle or underline your final answers to identify them clearly.

Some hints for tackling problems in general:

1. Try to identify what “kind” or “type” of question is being asked, for example “projectile motion”, “conservation of energy”, or “two dimensional collision”.
2. Draw a labelled diagram.
3. Write down what quantities you know.
4. Write down the relevant equations.
5. Only substitute values at the end of your calculation and try to carry out all manipulations symbolically.
6. Double check the order of magnitude of your answer.
7. Double check the units of your answer.
8. Double check the number of significant figures of your answer. Remember that I am only looking for approximately the correct number of significant digits. If quantities are given to two or three significant digits, quote your answer to two or three (not one or five). Similarly if quantities are given to eight significant digits, do not quote your answer to two.

You do not have to tackle the questions in order. Briefly read through them all and then start on one!

Short questions

Remember, your answer to these multiple choice questions should be written out and submitted as part of the rest of your solutions.

Question 1

10pts

Two blocks with masses 2.0 kg and 1.0 kg lie on a frictionless table. A force of 4.5 N is applied as shown in figure 1. What is the normal force between the blocks?




Figure 1: Diagram for Question 1.

- (a) 0.5 N.
- (b) 1.0 N.
- (c) 1.5 N.
- (d) 2.0 N.
- (e) 2.5 N.

Question 2

10pts

A solid cylinder of radius r and total mass m rolls without slipping down an incline plane. What is the linear speed of the cylinder after it has rolled a vertical distance h , if the work done by friction is W_F and the cylinder's angular speed is ω ?

(a)

$$v = \sqrt{2gh - \frac{r^2\omega^2}{2} - \frac{2W_F}{m}}$$

(b)

$$v = \sqrt{2gh - \frac{r^2\omega^2}{2} + \frac{2W_F}{m}}$$

(c)

$$v = \sqrt{2gh + \frac{r^2\omega^2}{2} - \frac{2W_F}{m}}$$

(d)

$$v = \sqrt{2gh + \frac{r^2\omega^2}{2} + \frac{2W_F}{m}}$$

Question 3**10pts**

A very light table tennis ball bounces elastically head-on off a very heavy bowling ball that is initially at rest. The fraction of the table tennis ball's initial kinetic energy that is transferred to the bowling ball is approximately

- (a) 0
- (b) 1/4
- (c) 1/2
- (d) 3/4
- (e) 1

Longer questions

Remember, present your solutions legibly and as logically as you can. Highlight your final answer by underlining or circling it.

Question 4**30pts**

A 11.0 kg block of wood is at rest on a horizontal floor. A blob of clay, of mass 0.3 kg, is thrown horizontally at the block, and sticks to the block. The block and blob slide across the floor 20 cm before coming to rest. If the coefficient of friction between the block and the floor is 0.56, what is the initial speed of the clay?

Question 5**40pts**

Two objects are attached to ropes that are attached to wheels that are attached to a common axle through their centers, shown in figure 2. The total moment of inertia of the two wheels is I .




Figure 2: Diagram for Question 5.

- (a) Find the value of m_1 , expressed in terms of m_2 , R_1 , and R_2 , that ensures the system is in equilibrium.
- (b) If an additional mass, m_3 , is added on top of m_1 , what is the angular acceleration of the system?